






Structure, Metal: Ø35mm stainless steel AISI-304 posts. 2mm thick AISI 304 polished stainless steel slide surface curved and molded in one piece.

A x B				
A=4500mm	20m ²	0.49m	6	
B=4825mm				



Materials:

Panels, HDPE: high-density polyethylene characterised by its resistance to chemical abrasives. As a polymer, it is unaffected by corrosion. Due to its light elastic nature, it offers high resistance to impact, making it very difficult to break

Platforms, Phenolic: birch plywood coated with a phenol film on both sides. Wire mesh anti-slip surface. Waterproof lateral protection.

Fixings: electro galvanised and stainless steel quality 8.8 DIN267, AISI-304.


- None of the materials requires a specific treatment for its disposal.
- If the product is subject to severe use, maintenance should be increased.
- Don't use the product before the installation/maintenance is ready.
- Please check the maintenance instructions.

Biggest part (mm): / Heaviest part (kg):


IMPACT ZONE: security area and ground coverings according to the EN1176-1:2017 standard.

Spare parts availability: 10 years.

Playful features:



Alternatives:



[JG10](#)



[JG02](#)



[JG08](#)

Projects:



The constant improvement and evolution of our products may result in some modifications of the technical specifications and characteristics of the products without prior notice.