




**Structure, Metal:** Ø35mm stainless steel AISI-304 posts. 2mm thick AISI 304 polished stainless steel slide surface curved and molded in one piece.





A x B



A=4840mm 18.60m<sup>2</sup> 0.60m 5

B=4250mm



## Materials:

**Panels, HDPE:** high-density polyethylene characterised by its resistance to chemical abrasives. As a polymer, it is unaffected by corrosion. Due to its light elastic nature, it offers high resistance to impact, making it very difficult to break

**Platforms, Phenolic:** birch plywood coated with a phenol film on both sides. Wire mesh anti-slip surface. Waterproof lateral protection.

**Fixings:** electro galvanised and stainless steel quality 8.8 DIN267, AISI-304.

- None of the materials requires a specific treatment for its disposal.
- If the product is subject to severe use, maintenance should be increased.
- Don't use the product before the installation/maintenance is ready.
- Please check the maintenance instructions.

Biggest part (mm): / Heaviest part (kg):

**IMPACT ZONE:** security area and ground coverings according to the EN1176-1:2017 standard.

Spare parts availability: 10 years.

Ground anchoring screws not included.

## Playful features:



## Projects:



The constant improvement and evolution of our products may result in some modifications of the technical specifications and characteristics of the products without prior notice.

**BENITO**

[info@benito.com](mailto:info@benito.com)  
tel. 93 852 1000